

Purchase Change Request					Marshall University Office of Purchasing One John Marshall Drive Huntington, WV 25755-4100	Order # MU24WTRTREAT co1	
FY 26	Buyer LL	Date 11/06/2025	Account	P.O. Date 02/11/2025	Contract MU24WTRTREAT co1		
Document ☐ Requisition (Cancellation only) ☐ Regular Purchase Order ☐ Contract Purchase Order ☒ Open End Contract Purchase ☐ Agreement				Document Action ☐ Cancellation ☒ Increase/Decrease ☐ Unused Balance ☐ Freight ☐ Renewal ☐ Extension Error ☐ Error in Total Amount ☐ Change of Account ☐ Change of Vendor Name/Address ☒ Other			
Vendor Name, Address, Phone #, etc. Veolia WTS USA, Inc. 3600 Horizon Blvd. Trevoze, PA 19053			Vendor Code VS0000013650		BOG Unit Name & Address Marshall University Office of Purchasing One John Marshall Drive Huntington, WV 25755-4100		
Ph# 3049896851		Fax		FEIN# 231503731			
Item#	Quantity	Description of Change				Unit Price	Extended Price
		Change Order # 1 WATER TREATMENT PROGRAM MARSHALL UNIVERSITY To make the following changes to MU24WTRTREAT all in accordance with the terms, conditions, and specifications contained in the original contract including all authorized change orders. 1. To add the product: Corshield NT4207, Nitrite-based Closed Loop Inh. w/polymer at \$3.57 per lb for the Science Hall. See Updated Pricing Page on Page 2. Effective Date(s): February 14, 2025 to February 13, 2025 Renewals: Four (4) optional one (1) year renewals Renewal #: Zero (0) of four (4) Renewals Remaining: Four (4)					
Reason for Change: 1. To add the product: Corshield NT4207, Nitrite-based Closed Loop Inh. w/polymer at \$3.57 per lb for the Science Hall. See Updated Pricing Page on Page 2.						Previous Total	\$ Open-end
						Increase	\$ -
						Decrease	\$ -
						New Total	\$ Open-end

Approved:

Authorized Signature

11/12/2025

Date

Attorney General if required

Date

ATTACHMENT A: Pricing Page

MU24WTRTREAT

11/6/2025

	System	Item Name	Name/ Purpose	Unit Price (\$/lb)	Notes (Container)	Total Cost (\$/Yr)
1	John Drinko Library	Continuum AT9050	Cooling Tower Scale/Corr. Inh/Dispersion	\$29.97	25 LB CTN	\$2,996.86
2	John Drinko Library	Spectrus OX101	Oxidizing Biocide	\$25.15	CTN4-5LB BTL	\$3,772.12
3	Smith Hall	Continuum AT9050	Cooling Tower Scale/Corr. Inh/Dispersion	\$29.97	25 LB CTN	\$2,697.17
4	Smith Hall	Spectrus OX101	Oxidizing Biocide	\$25.15	CTN4-5LB BTL	\$3,269.17
5	Fine Arts	Continuum AT9050	Cooling Tower Scale/Corr. Inh/Dispersion	\$29.97	25 LB CTN	\$1,348.59
6	Fine Arts	Spectrus OX101	Oxidizing Biocide	\$25.15	CTN4-5LB BTL	\$1,760.32
7	Science Hall	Continuum AT9050	Cooling Tower Scale/Corr. Inh/Dispersion	\$29.97	25 LB CTN	\$1,048.90
8	Science Hall	Spectrus OX101	Oxidizing Biocide	\$25.15	CTN4-5LB BTL	\$1,257.37
9	Biotech	Continuum AT9050	Cooling Tower Scale/Corr. Inh/Dispersion	\$29.97	25 LB CTN	\$5,993.71
10	Biotech	Spectrus OX101	Oxidizing Biocide	\$25.15	CTN4-5LB BTL	\$6,286.87
11	Applied Engineering	Continuum AT9050	Cooling Tower Scale/Corr. Inh/Dispersion	\$29.97	25 LB CTN	\$3,596.23
12	Applied Engineering	Spectrus OX101	Oxidizing Biocide	\$25.15	CTN4-5LB BTL	\$2,263.27
13	Jenkins Hall	Continuum AT9050	Cooling Tower Scale/Corr. Inh/Dispersion	\$29.97	25 LB CTN	\$299.69
14	Jenkins Hall	Spectrus OX101	Oxidizing Biocide	\$25.15	CTN4-5LB BTL	\$377.21
15	Student Center	Continuum AT9050	Cooling Tower Scale/Corr. Inh/Dispersion	\$29.97	25 LB CTN	\$899.06
16	Student Center	Spectrus OX101	Oxidizing Biocide	\$25.15	CTN4-5LB BTL	\$1,005.90
17	Biotech	Optiguard MCP953	Boiler Scale/Deposit Inh./O2 scavenger/amine	\$21.23	4x1GL CS	\$4,393.66
18	Henderson Center	Optiguard MCP953	Boiler Scale/Deposit Inh./O2 scavenger/amine	\$21.23	4x1GL CS	\$6,792.13
19	Old Main	Optiguard MCP953	Boiler Scale/Deposit Inh./O2 scavenger/amine	\$21.23	4x1GL CS	\$4,457.34
20	Science Hall	Optiguard MCP953	Boiler Scale/Deposit Inh./O2 scavenger/amine	\$21.23	4x1GL CS	\$5,836.99
21	Science Hall	Corshield NT4207	Nitrite-based Closed Loop Inh. w/polymer	\$3.57	D1 30 gal drums	\$4,355.40
Annual Total:						\$64,707.97

Medical Buildings

	System	Item Name	Name/ Purpose	Unit Price (\$/lb)	Notes (Container)	Total Cost (\$/Yr)
22	Cabell Hospital	Continuum AT9050	Cooling Tower Scale/Corr. Inh/Dispersion	\$29.97	25 LB CTN	\$2,996.86
23	Cabell Hospital	Spectrus OX101	Oxidizing Biocide	\$25.15	CTN4-5LB BTL	\$2,514.75
24	VA Hospital	Continuum AT9050	Cooling Tower Scale/Corr. Inh/Dispersion	\$29.97	25 LB CTN	\$1,798.11
25	VA Hospital	Spectrus OX101	Oxidizing Biocide	\$25.15	CTN4-5LB BTL	\$1,760.32
26	Douglas	Continuum AT9050	Cooling Tower Scale/Corr. Inh/Dispersion	\$29.97	25 LB CTN	\$449.53
27	Douglas	Spectrus OX101	Oxidizing Biocide	\$25.15	CTN4-5LB BTL	\$502.95
Annual Total:						\$10,022.52

Closed Loop treatment for Main Campus

	System	Item Name	Name/ Purpose	Unit Price (\$/lb)	Vendor Notes (Container)	Total Cost (\$/Yr)
28	Closed Loop	Corshield NT4201	Nitrite-based Closed Loop Inh.	\$2.52	P2-5 GAL PAIL	\$3,530.67
29	Closed Loop	Spectrus NX1100	non-oxidizing biocide	\$8.85	P2-5 GAL PAIL	\$442.73
Annual Total:						\$3,973.40

Closed Loop treatment for Hospitals

	System	Item Name	Name/ Purpose	Unit Price (\$/lb)	Vendor Notes (Container)	Total Cost (\$/Yr)
30	Closed Loop	Corshield NT4201	Nitrite-based Closed Loop Inh.	\$2.52	P2-5 GAL PAIL	\$1,765.34
31	Closed Loop	Corshield OR4407	Aluminum Boiler Closed Loop Inh.	\$5.17	P2-5 GAL PAIL	\$620.53
32	Closed Loop	Spectrus NX1100	non-oxidizing biocide	\$8.85	P2-5 GAL PAIL	\$265.64
Annual Total:						\$2,651.51

grand total \$81,355.40

1 of 1 | [View All](#) Some of the values entered as Search Criteria for UI secured field ...

Vendor/Customer

[Menu](#)

Vendor/Customer	Legal Name	Alias/DBA	Vendor Active Status	Customer Active Status	Previous Name
✓ VS0000013650	VEOLIA WTS USA INC		Active	Inactive	

From 1 to 1 of 1 First Prev Next Last [Attachments](#)Save [Undo](#) Delete Insert [Copy](#) Paste [Search](#)

▼ General Info

Vendor/Customer : VS0000013650	Restrict Use by Department : ☐
Legal Name : VEOLIA WTS USA INC	Miscellaneous Account : ☐
Alias/DBA :	Internal Account : ☐
Vendor Active Status : Active ▼	Third Party Only : ☐
Vendor Approval Status : Complete	Third Party Vendor : ☐
Customer Active Status : Inactive ▼	Third Party Customer : ☐
Customer Approval Status : Incomplete	Inventory Customer : ☐
Location Name :	Healthcare Provider : ☐
First Name :	Never Archive : ☐
Middle Name :	Restrict VSS Access : No ▼
Last Name :	Discontinue - No New Business : ☐
Company Name : VEOLIA WTS USA INC	Prevent MA Reference : ☐
Previous Name :	PunchOut Enabled : ☐
Previous Street :	Re-PunchOut Enabled : ☐
Previous City :	Electronic Order Enabled : ☐
Previous State/Province :	W-9 Received : ☒
Previous Country :	W-9 Received Date : 09/29/2023
	W-8 Received : ☐
	W-8 Received Date :
	Accepts Credit Cards : ☐
	Active From : 08/04/2017
	Active To :
	Last Usage Date : 04/20/2025
	Department :
	Unit :

▶ Headquarters

▶ Organization

▶ Disbursement Options

▶ Prenote/EFT

▶ Remittance Advice

▶ Vendor Terms

▶ Accounts Receivable

▶ eMALL

▶ Location Information

▶ Fee and Vendor Compliance Holds

Fee Exempt : ☐	Tax Clearance : ☐
Registration Application Date : 08/03/2017	Unemployment Insurance : ☐
Registration Effective Date : 08/03/2017	Worker's Compensation : ☐
Registration Expiration Date : 08/03/2018	Secretary of State Registration : ☐
Pre-Registration Code :	Federal Debarred : ☐

▶ Executive Compensation

▶ Additional Information

▶ Travel

▶ Change Management

[Top](#)CREATE DOCUMENT> [Create New Record](#) [Modify Existing Record](#)UPDATE> [Headquarters](#) [Add 1099 Information Entry](#) [Add 1042-S Reporting Information Entry](#) [Vendor Business Types By Commodity](#)SEARCH BY> [Master Contacts](#) [Master Addresses](#) [Vendor Commodity](#) [Vendor Addresses](#) [Vendor Business Types](#) [Vendor Service Areas](#) [VCM Query](#)[Historical Vendor Information](#) [Vendor Notes](#)[Vendor Transaction History](#)